

HOLMES

GARAGE DOOR COMPANY®
Excellence Since 1920™



**LEADERS IN STYLE,
SELECTION & CRAFTSMANSHIP**

Model Shown: Artistry® Collection AR2SU in Ultra-Grain® Medium Finish with Square Grille Windows

Model Shown:
Artistry® Collection AR2SP in White
with Long Rectangle Grille Windows



STYLE, SELECTION & CRAFTSMANSHIP

Holmes Garage Door Company® offers a complete line of top quality doors including traditional raised panel doors, carriage house style doors, contemporary styles and commercial. With thousands of garage door designs to choose from, Holmes is Making it Easy to find and purchase the right door for your style!

3 THINGS TO CONSIDER WHEN CHOOSING YOUR NEXT GARAGE DOOR

1

CURB APPEAL

A garage door can represent as much as 30% of your home's front façade. Homes with forward facing garages see immediate curb appeal.

2

VALUE

A new door can increase the value of your home by up to 4%.

3


ENERGY EFFICIENT & DURABLE

If your garage is attached to your home, an energy-efficient door can do more than lower energy costs; insulated doors are also quieter and more durable.



Model Shown:
Lodgewood® Collection
Design 5 with ARCH3 Windows

SAFETY, QUALITY & INNOVATION



Put to the Test

Our doors go through the most rigorous testing in the industry. Test results are used to constantly improve our products.



Deep Embossed Panels

Natural woodgrain texture and detailed raised panel design enhance door's beauty.



Coped Edges

Custom Crafted Steel doors are designed with stylish beveled coped edges and decorative center grooves.



Ultra-Grain® Finish

Ultra-Grain® delivers the best of both worlds—the realism of natural wood with the low maintenance and energy-efficient benefits of insulated steel.



Decorative Windows

Inspired by current architectural trends, our windows add a new look to garage doors while complementing your home.




Bottom Weatherseal

Bottom weatherseal in a corrosion-resistant aluminum retainer prevents elements from entering garage.




Rust-Prevention System

Unsurpassed rust-prevention system creates a virtually maintenance-free surface.



Patented Safe-T-Bracket®

Prevents serious injury that could occur if the bottom bracket were removed with the garage door closed and under tension.



EZ-SET® Torsion Springs

Patented springs for easier, faster and safer installation. Eliminates the labor intensive and dangerous manual winding process.



Model Shown: Silver Series 5500 with Short Plain Windows

3 EASY STEPS TO CHOOSING YOUR NEW DOOR

1 CHOOSE YOUR DOOR STYLE

SPECIALTY OR **STANDARD STEEL**

See page 5 for examples of each door style.

2 CHOOSE YOUR CONSTRUCTION

DOOR CONSTRUCTION

	2" Polyurethane	1-3/8" Polyurethane	2" Polystyrene	1-3/8" Polystyrene	1-5/16" Polystyrene	Steel
FEATURES						
Insulation Rating (R-value)/ Energy Efficiency	18.4–20.4	12.9	9.0	6.5	6.3	N/A
Security						
Noise Control						
Dent Resistance						
Warranty	Limited Lifetime	Limited Lifetime	Limited Lifetime	Limited Lifetime	Limited Lifetime 25-year	Limited Lifetime 15-year

NOTE: Higher R-values mean increased energy efficiency, reduced noise, improved security and durability.

3 CUSTOMIZE YOUR DOOR



Colors









Windows



Hardware

RESIDENTIAL GARAGE DOOR COLLECTIONS



SPECIALTY

					
Contemporary Collection	Glenmoor™ Collection <small>LIMITED EDITION SERIES</small>	Glenmoor™ Collection <small>ULTRA-GRAIN® SERIES</small>	Settlers® Collection	Artistry® Collection	Lodgewood® Collection
Glass and Aluminum Design with Durable Construction pgs. 6-7	Wood Look without the Wood Maintenance pgs. 8-9	Ultra-Grain® Beauty Meets Durability pgs. 10-11	Carriage House Designs in Low Maintenance Steel and Composite pgs. 12-13	Steel Carriage House Designs with Ultra-Grain® Finish Option pgs. 14-15	Wood Carriage House pgs. 16-17

STANDARD STEEL

			
Gold Series	Silver Series	Bronze Series	Windows
Insulated Steel Three-Layer Construction pgs. 18-19	Insulated Steel Two-Layer Construction pg. 20	Non-Insulated Steel One-Layer Construction pg. 21	Designer Classics and Snap-In pgs. 22-23

COMMERCIAL GARAGE DOOR COLLECTIONS

	
Sectional Doors	Roll-Up Doors
Commercial Sectional Steel pgs. 24-25	Steel Roll-Up pg. 26

OTHER INFORMATION TO KNOW

Safety, Quality & Innovation pg. 3
 How-To-Measure Information pg. 27

CONTEMPORARY COLLECTION

Contemporary Collection doors combine aluminum and glass to create a sleek, modern look. Many glass and panel combinations are available for varying degrees of privacy.



**MODERN DESIGN...
VIRTUALLY MAINTENANCE-FREE**

Model Shown: Contemporary Collection Model AVI with Ultra-Grain® Dark Cherry Frame and Insulated Frosted Glass



Model Shown: Contemporary Collection Model AVI with Anodized Black Frame and Insulated Frosted Glass

CONSTRUCTION AND FINISH

- 2-1/8" thick, virtually maintenance-free, long-lasting aluminum frame.
- Most glass is acrylic or tempered. Available in single pane (Model AV) or insulated (Model AVI). NOTE: Non-insulated 1/4" mirrored or White laminate is available on Model AVI only.
- Model AV available with acrylic or non-insulated 1/8" tempered clear or frosted glass or solid aluminum panel options.
- Model AVI available with insulated tempered, non-insulated 1/4" mirrored or White laminate glass options.
- Tongue-and-groove joints and bottom weatherseal in a rust-proof aluminum retainer helps seal out the elements.
- Frames come standard in clear anodized or painted White, Commercial Brown or Bronze. Optional anodized Black, Ultra-Grain® finishes or powder coated available (additional cost).

WARRANTIES



MODELS




AV (Non-Insulated)




AVI (Insulated)


FRAME/HANDLE COLORS*




Anodized Clear Aluminum




Painted White




Painted Commercial Brown




Color-Matched Handles




Anodized Black
(Additional Cost)



Bronze
(Additional Cost)



Ultra-Grain®
Light Cherry
(Additional Cost)



Ultra-Grain®
Dark Cherry
(Additional Cost)

*Powder coated custom colors available upon request; call Customer Service for pricing.

GLASS/PANEL OPTIONS



Clear Glass*



Clear Acrylic



Frosted Glass*



Frosted Acrylic



Gray Tinted Glass*




Bronze Tinted Glass*



White Acrylic



Gray Acrylic




Mirrored Glass



Obscure Glass*



Clear Polygal®



Bronze Polygal®



White Laminate Glass



Clear Anodized
(Aluminum Panel)



Ultra-Grain®
Light Cherry
(Aluminum Panel)



Ultra-Grain®
Dark Cherry
(Aluminum Panel)

*Available in single pane or insulated glass.

White laminated and mirrored glass not available insulated.


Panels can be aluminum to match the aluminum frame. Glass/acrylic panels may be combined with aluminum panels. Custom glass and colors available.

Glenmoor™

COLLECTION

LIMITED EDITION SERIES

The Limited Edition Series provides the natural beauty of wood with the durability and energy-efficient benefits of composite and steel.



**WOOD LOOK...
WITHOUT THE WOOD MAINTENANCE**

Model Shown: Glenmoor™ Collection Limited Edition Series Design 12 with SQ23 Windows

CONSTRUCTION AND FINISH

- 5-layer polyurethane insulated composite faux wood doors – 20.4 R-value. Swing-out appearance – modern operation.
- Available in 14 door designs and 13 window or top sections for multiple door design options.
- Composite cladding options include Clear Cypress, Mahogany and Pecky Cypress. Composite overlay options include Clear Cypress and Mahogany.
- Windows are standard with 1/8" DSB glass. Obscure, Seeded and Insulated glass options are also available.
- Attractive beveled edge clip-in grilles are removable for easy window cleaning.
- Premium grade hardware, rollers and track assure smooth, quiet, long-lasting operation.
- Comes factory finished in Walnut, Dark or Medium Finish; door can also be ordered in Whitewash Finish (Mahogany only) or primed for homeowners wishing to custom paint or stain their doors.

WARRANTIES




DECORATIVE HARDWARE

Standard




Optional



* If installed near top, may impede operation.

DOOR DESIGNS




All doors shown in Dark Finish with composite Clear Cypress cladding and composite Clear Cypress overlay.

WINDOWS/TOP SECTION OPTIONS



Double door designs available.

MATERIAL DESIGN OPTIONS



COLORS



Due to the printing process, colors may vary.
*Whitewash Finish available only on Mahogany cladding and overlays.


Glenmoor™

COLLECTION

ULTRA-GRAIN® SERIES

Features a 2" polyurethane insulated steel base door with Ultra-Grain®, a durable and natural-looking woodgrain paint finish.

FOUR-LAYER CONSTRUCTION



**ULTRA-GRAIN®...
BEAUTY MEETS DURABILITY**

Model Shown: Glenmoor™ Collection Ultra-Grain® Series Design 13 with ARCH3 Windows

CONSTRUCTION AND FINISH

- 4-layer polyurethane insulated faux wood doors – 18.4 R-value. Swing-out appearance – modern operation.
- Available in 14 door designs and 13 window or top sections for multiple door design options.
- Base steel options include Walnut and Medium Ultra-Grain® Finishes. Composite overlay available in Clear Cypress, stained to match base finish.
- Windows are standard with 1/8" DSB glass. Obscure, Seeded and Insulated glass options are also available.
- Attractive beveled edge clip-in grilles are removable for easy window cleaning.
- Premium grade hardware, rollers and track assure smooth, quiet, long-lasting operation.


WARRANTIES



DECORATIVE HARDWARE




Optional




* If installed near top, may impede operation.

DOOR DESIGNS



WINDOWS/TOP SECTION OPTIONS



Double door designs available.


MATERIAL DESIGN OPTIONS

OVERLAY



Note: Cladding is not present on Ultra-Grain® Series Models.

ULTRA-GRAIN® STEEL COLORS




Composite Overlays and Window Grilles are finished in the same color as the Ultra-Grain® base door. Due to the printing process, colors may vary.

Settlers®

COLLECTION

Settlers® Collection doors provide a traditional Carriage House appearance with upward-acting functionality and durable construction.

FOUR-LAYER CONSTRUCTION



Polyurethane or
Polystyrene
Insulation



**CARRIAGE HOUSE DESIGNS...
DURABLE, RELIABLE CONSTRUCTION**

Model Shown: Settlers® Collection SF22 with SQ23 Windows


CONSTRUCTION AND FINISH

- Base door has a natural woodgrain texture, painted with a baked-on primer and polyester top coat.
- Detailed beveled, coped-edge overlay.
- Windows with complete overlay and true arch designs are available in double strength, insulated or obscure glass. Grilles are removable for ease of cleaning.
- Includes automatic opener reinforcement.
- EZ-SET® Torsion Springs standard on most sizes.
- SXU models have 2" polyurethane insulation (R-value = 18.4).
- SX models have 2" polystyrene insulation (R-value = 9.0).
- SF models have 1-3/8" polystyrene insulation (R-value = 6.5).


WARRANTIES




DECORATIVE HARDWARE



DOOR DESIGNS



WINDOWS/TOP SECTION OPTIONS



BASE DOOR/OVERLAY COLOR OPTIONS





Note: Door and overlay colors can be mixed and matched.

Artistry® COLLECTION

Artistry® Collection doors create an authentic Carriage House look at an affordable price.

ONE, TWO & THREE-LAYER CONSTRUCTION



CARRIAGE HOUSE DESIGNS... DURABLE STEEL CONSTRUCTION

Model Shown: Artistry® Collection AR2LP in White with ARCH1 Grille Windows

CONSTRUCTION AND FINISH

- Deep embossed stamped steel carriage house designs in short and long panel styles.
- Six construction types to choose from:
 - 2" thick three-layer polyurethane insulation (R-value = 18.4)
 - 1-3/8" thick three-layer polyurethane insulation (R-value = 12.9)
 - 2" thick three-layer polystyrene insulation (R-value = 9.0)
 - 1-3/8" thick three-layer polystyrene insulation (R-value = 6.5)
 - 24 or 25 gauge 1-5/16" thick two-layer polystyrene insulation (R-value = 6.3)
 - 24 or 25 gauge one-layer non-insulated
- Twenty-two window options.
- Ultra-Grain® Finish available on three-layer models.

Note: 25 gauge available only in short panel.

WARRANTIES



AR2SU/AR2LU/
AR1SU/AR1LU
AR2SP/AR2LP/
AR1SP/AR1LP
AR4SV/AR4LV/
AR4S/AR4L



AR5SV/AR5S




ALL MODELS




ALL MODELS

DECORATIVE HARDWARE


Standard



Optional




DOOR DESIGNS



Three-Layer
AR2SU, AR1SU,
AR2SP, AR1SP

Two-Layer
AR4SV, AR5SV

One-Layer
AR4S, AR5S



Three-Layer
AR2LU, AR1LU,
AR2LP, AR1LP

Two-Layer
AR4LV

One-Layer
AR4L

Single door width shown.

WINDOWS/TOP SECTION OPTIONS



Short Plain



Long Plain



Short Square Grille



Long Square Grille



Long Rectangle Grille



ARCH1 Plain



ARCH1 Grille



ARCH2 Plain



ARCH2 Grille



ARCH3 Plain (Double Car Door Only)



Wrought Iron ARCH



ARCH3 Grille (Double Car Door Only)



Wrought Iron Long



Ashford® Short



Ashford® Long



Wrought Iron Short



Trenton® Short



Trenton® Long



Kristin® Short



Kristin® Long



Clayton™ Short



Clayton™ Long

COLOR OPTIONS



White



Almond



Desert Tan



Sandtone



Chocolate**



Ultra-Grain®
Medium Finish*



Ultra-Grain®
Dark Finish*



Ultra-Grain®
Walnut Finish*

*Available only on three-layer models.

**Not available on AR4L/AR4LV.

Lodgewood[®] COLLECTION

The Lodgewood[®] Collection combines authentic wood designs with the functionality of an upward-acting sectional door.



**EXTRAORDINARY CRAFTSMANSHIP...
IMPRESSIVE APPEARANCE**

Model Shown: Lodgewood[®] Collection Design 3 with REC13 windows

CONSTRUCTION AND FINISH

- Handcrafted 2-layer non-insulated wood doors in authentic carriage house designs. Swing-out appearance – modern operation.
- 6 door and 8 window or top sections for multiple door design options.
- Available in 3 wood species. All stain grade wood rails, stiles and panels are made from Redwood, Cedar or Hemlock. Hemlock (paint grade and grooved) doors have Hemlock stiles and rails with exterior grade MDO plywood panels.
- 1/4" thick imported Luan interior backer glued to stiles and rails.
- True divided windows are standard with 1/8" DSB glass. Specialty glass options available.
- All doors can be factory primed or finish painted white. Factory stain available for stained grade wood species (additional cost).

WARRANTIES



DECORATIVE HARDWARE

Standard




Spade Lift Handles



Spade Step Plate

Optional



OPTIONAL FACTORY STAINING*



Natural Light Natural Cedar Teak Mahogany Butternut Dark Oak

Not all wood types stain equally and all stain colors will vary in appearance on all wood types. Variations in color will occur from printed material to actual doors, or even from door to door.

*Additional cost.

Proper care and maintenance are imperative to the appearance, longevity and performance of all wood doors. Doors must be painted or stained on all six sides prior to installation. Failure to follow the installation and maintenance instructions will void the warranty. Please refer to the installation and maintenance manual or go to www.clopay.com for additional information about caring for a wood door.

DOOR DESIGNS



Design 1



Design 2



Design 3



Design 4



Design 5



Design 6

WINDOWS/TOP SECTION OPTIONS

Single Car Door Options



Solid



ARCH1 Solid



ARCH13



SQ23



SQ24



ARCH14



REC13



REC14



ARCH3

Double Car Door Options



Solid



ARCH4



ARCH2 Solid



ARCH1 Solid



ARCH4



ARCH3



ARCH8



ARCH6



SQ24



SQ23



REC14



REC13

MATERIAL OPTIONS

STAIN GRADE

PAINT GRADE

STILE/RAILS

Hemlock Cedar Redwood

Hemlock Hemlock



PANELS


Hemlock Cedar Redwood

MDO Smooth MDO Grooved

Paint Grade and Grooved doors cannot be stained.

GOLD SERIES

Three-layer construction provides maximum energy efficiency, the quietest operation and superior durability.



STEEL + INSULATION + STEEL

Model Shown: Gold Series 7200 in Desert Tan with Colonial 509 Windows

CONSTRUCTION AND FINISH

- Elegant Raised, Long and Flush panel designs for improved curb appeal
- Three-layer construction provides maximum energy efficiency, the quietest operation and superior durability
- Prefinished, stucco textured flush interior for beauty inside and out
- 7200, 7203 and 7201 have 2" polyurethane insulation (R-value = 18.4)
- 7130, 7133 and 7131 have 1-3/8" polyurethane insulation (R-value = 12.9)
- 6200, 6203 and 6201 have 2" polystyrene insulation (R-value = 9.0)
- 6130, 6133 and 6131 have 1-3/8" polystyrene insulation (R-value = 6.5)

DOOR STYLES



Elegant Raised Panel – Models 7200, 7130, 6200 and 6130



Elegant Long Panel – Models 7203, 7133, 6203 and 6133



Flush Panel – Models 7201, 7131, 6201 and 6131




Decorative panel edging and natural embossed woodgrain texture improve appearance close-up and from the curb.

WARRANTIES



COLOR OPTIONS



*Not available on all models; contact customer service for availability.

WINDOWS



Plain



Designer Classics



Designer Classics-Wrought Iron




Designer Inserts

See pages 22–23 for full window availability.

SILVER SERIES

Two-layer construction provides quiet operation and enhanced durability.



CONSTRUCTION AND FINISH

- Two-layer construction for energy efficiency and enhanced durability
- Detailed Raised panel designs for improved curb appeal
- Thick vinyl-backed polystyrene insulation for added energy efficiency
- 5500 and 5503 have 1-5/16" polystyrene insulation (R-value = 6.3)
- 5200 and 5203 have 7/8" polystyrene insulation (R-value = 4.4)

WARRANTIES



DOOR STYLES



Traditional Raised Panel – Models 5500, 5200




Traditional Long Panel – Models 5503, 5203



Decorative panel edging and natural embossed woodgrain texture improve appearance close-up and from the curb.

COLOR OPTIONS



WINDOWS



Plain



Designer Classics



Designer Inserts




Designer Classics-Wrought Iron

See pages 22-23 for full window availability.

BRONZE SERIES

One-layer 25 gauge steel construction is durable and economical.



CONSTRUCTION AND FINISH

- One-layer steel construction is durable and economical
- Traditional Raised and Long panel designs for improved curb appeal
- Woodgrain textured Short and Long Raised panel designs complement traditional home styles

DOOR STYLES



Traditional Raised Panel – Model 4200



Traditional Long Panel – Model 4203



Decorative panel edging and natural embossed woodgrain texture improve appearance close-up and from the curb.

COLOR OPTIONS



White Almond Desert Tan Sandtone Chocolate

WARRANTIES

PAINT SYSTEM LIMITED WARRANTY 15 YEAR	WINDOW LIMITED WARRANTY 10 YEAR	HARDWARE LIMITED WARRANTY 3 YEAR
--	--	---

WINDOWS



Plain



Designer Classics



Designer Inserts



Designer Classics-Wrought Iron

See pages 22–23 for full window availability.

WINDOW SELECTION GUIDE

Add a personal touch with designer window lites

SHORT

Available on *Elegant Raised*,
Traditional Raised and *Flush Panels* only.

LONG

Available on *Elegant Long* and
Traditional Long Panels only.

PLAIN

Single pane, double strength glass.



Short



Long

DESIGNER INSERTS

Dress up our plain windows with our UV-protected, color-matched Designer Inserts. They simply snap in over our plain window.



Cathedral 507



Cathedral 607



Charleston 508



Charleston 608



Colonial 509



Stockton 612



Sunset 502 (7', 7'6", 12' widths only)



Prairie 510



Prairie 610



Sunset 501 (8', 9', 12', 16', 17', 18', 20' widths only)



Madison 611



Sunset 503 (8', 9', 16', 17', 18' widths only)



Madison Arch 613



Sunset 504 (14', 15', 15'6" widths only)



Sunset 601



Sunset 505 (16', 17', 18' widths only)



Sunset 603



Sunset 506 (10', 20' widths only)



Sunset 605 (15', 16', 17', 18' widths, Long Panel doors only)

WINDOW SELECTION GUIDE

Add a personal touch with designer window lites

DESIGNER CLASSICS

For a touch of elegance, choose our Designer Classics options.

SHORT

Available on *Elegant Raised*,
Traditional Raised and *Flush Panels* only.



Solitaire




Marquise




Trillian



Trenton®



Ashford®



Kristin®



Roselle®



Carlisle®



Tuscany*



Orleans*

LONG

Available on *Elegant Long* and
Traditional Long Panels only.



Solitaire



Marquise



Trillian



Trenton®



Ashford®



Kristin®



Roselle®



Carlisle®



Tuscany*




Orleans*

*Available non-insulated only.

GOLD SERIES

Three-layer construction provides a durable, quiet and energy-efficient door for your commercial applications.



CONSTRUCTION AND FINISH

- 2" or 1-3/8" thick polyurethane insulation (R-values = 18.4, 12.9, respectively)
- 2" or 1-3/8" thick polystyrene insulation (R-values = 9.0, 6.5, respectively)
- Insulation is pressure-bonded between two layers of steel
- Superior strength and durability
- Maximum energy efficiency and quietest operation
- Two panel styles and six colors available
- Commercial-duty rollers
- Heavy-duty commercial track, hardware and springs



DOOR STYLES



Holmes 240U, 240, 210U, 210 Shallow Ribbed Panel*




Holmes 250G, 230G Elegant Raised Panel

COLOR OPTIONS



White



Almond



Desert Tan



Sandtone



Gray



Chocolate




Hunter Green

*Model 240U available only in White and Chocolate.

SILVER SERIES


BRONZE SERIES

Commercial ribbed doors are available with or without insulation.



CONSTRUCTION AND FINISH

- 1-3/8" thick steel-backed polystyrene insulation (R-value = 6.6) is behind an exterior steel skin
- Added energy efficiency
- Commercial-duty rollers
- Heavy-duty commercial track, hardware and springs




CONSTRUCTION AND FINISH


- Durable and economical steel construction
- Commercial-duty rollers
- Heavy-duty commercial track, hardware and springs



DOOR STYLES



Holmes 224V, 224S, 225V, 225S Ribbed Panel



Holmes 224, 225 Ribbed Panel

COLOR OPTIONS



White



Chocolate



Model 270H

GOLD SERIES

- Trucking Terminals
- Post Frame Buildings
- Light Industrial Warehousing
- Job Site Trailers
- Farm Machinery Storage Sheds
- Available in sizes 2' wide x 2' high through 18' wide x 18' high



Model 260H

BRONZE SERIES

- Yard Barns
- Mini-Warehouses
- Storage Sheds
- Boat Houses
- Other Light-Duty Applications
- Available in sizes 2' wide x 2' high through 12' wide x 14' high

SILICONIZED POLYESTER PAINT* 19 finishes complement any building

Glossy White	White	Silhouette Gray	Buckskin	Desert Tan
Continental Brown	Bronze	Cedar Red	Valentine Red	Tangerine
Sunset Orange	Marine Green	Teal	Dark Teal	Fern Green
Evergreen	Forest Green	Royal Blue	Polar Blue	

* Due to the printing process, colors may vary

HOW TO MEASURE YOUR DOOR

1. Measure existing door width and height in feet and inches. This determines the size of door needed. The rough opening should be the same size as the door.

Width: _____

Height: _____

2. Measure for sideroom: 3-3/4" is required on each side for installation of the vertical track for standard extension or torsion springs, or EZ-SET® Torsion Spring. 5-1/2" is required for EZ-SET® Extension Spring.

Sideroom: _____

3. Measure area labeled "headroom" – distance between the top of the door opening ("jamb header") and the ceiling or lowest obstruction (e.g., opener, beams or light fixtures). 10" is required for standard installation of extension springs and EZ-SET® Extension Spring; 12" on standard torsion springs and EZ-SET® Torsion Spring. 14" of headroom required for Carriage House doors. If you have restricted headroom, special hardware is available. Low headroom hardware is available to reduce requirement to as low as 4-1/2" (minimum with standard extension spring or EZ-SET® Extension Spring). EZ-SET® Torsion Spring low headroom requirement is 9-1/2". Note: If door height extends above the opening, the headroom measurement should be adjusted accordingly.

Existing headroom: _____


Headroom needed: _____

4. Measure area labeled "backroom" – distance is measured from the garage door opening toward the back wall of the garage.

Backroom: _____

Common garage door sizes include 8' wide x 7' high; 9' wide x 7' high; and 16' wide x 7' high. Holmes manufactures most doors in nearly any size you require.

HOW TO MEASURE DIAGRAM



HOLMESHHELPS
Garage Door Answers Fast.

For answers about choosing, installing and maintaining Holmes Garage Doors, visit us at

**www.holmeshelps.com and
www.holmesgaragedoor.com**

or call the Holmes Helpline® at 800-557-0488.

HOLMES

GARAGE DOOR COMPANY®

Excellence Since 1920™



In the interest of better quality and value, we are continually improving and updating our products. Consequently, photos, illustrations and available options may sometimes differ from present models.