


SILVER SERIES

Two-layer construction provides quiet operation and enhanced durability.



Models 5500 and 5503 are tax credit eligible. See page 5 for details.



STYLE AND FINISH

- Two-layer construction for quiet operation and enhanced durability
- Detailed Raised Panel design for improved curb appeal
- Thick vinyl-backed insulation for added energy efficiency
- 5500 and 5503 have 1 $\frac{5}{16}$ " insulation (R-value = 6.3)
- 5200 and 5203 have $\frac{7}{8}$ " insulation (R-value = 4.4)

WARRANTIES

PAINT SYSTEM LIMITED WARRANTY 25 YEAR	WINDOW LIMITED WARRANTY 10 YEAR	HARDWARE LIMITED WARRANTY 3 YEAR
--	--	---

PANEL STYLES



Traditional Raised Panel – Models 5500, 5200



Traditional Ranch Panel – Models 5503, 5203

COLOR OPTIONS



WINDOWS



Plain



Designer Etchings®



Designer Inserts



Designer Classics

WINDOW SELECTION GUIDE

ADD A PERSONAL TOUCH WITH DESIGNER WINDOW LITES

SHORT WINDOW OPTIONS

Available on Elegant Raised, Traditional Raised and Flush Panels only.

PLAIN

Single pane, double strength glass.



Short

LONG WINDOW OPTIONS

Available on Elegant Long and Traditional Long Panels only.



Long

DESIGNER INSERTS

Dress up our plain windows with our UV-protected, color-matched Designer Inserts. They simply snap in over our plain window.



Sunset 502 (7', 7'6", 12' widths only)



Cathedral 507



Sunset 501 (8', 9', 12', 16', 17', 18', 20' widths only)



Charleston 508



Sunset 503 (8', 9', 16', 17', 18' widths only)



Colonial 509



Sunset 504 (14', 15', 15' 6" widths only)



Prairie 510



Sunset 505 (16', 17', 18' widths only)



Sunset 506 (10', 20' widths only)



Cathedral 607



Charleston 608



Colonial 609



Prairie 610




Madison 611



Sunset 601



Sunset 603



Sunset 605 (15', 16', 17', 18' widths Ranch Panel doors only)

SHORT WINDOW OPTIONS

Available on Elegant Raised, Traditional Raised and Flush Panels only.

DESIGNER ETCHINGS®

Etched glass creates a beautiful addition to any door.



Solitaire



Marquise



Trillian

DESIGNER CLASSICS


For a touch of elegance, step up to our Designer Classics window lites. Available in beautiful brass or charcoal-colored coming, these windows are made of tough acrylic for safety, durability and security.



Charcoal Flame



Brass Flame



Charcoal Heritage



Brass Heritage

LONG WINDOW OPTIONS

Available on Elegant Ranch and Traditional Ranch Panels only.



Long Solitaire



Long Marquise



Long Trillian



Long Charcoal Flame



Long Brass Flame



Long Charcoal Heritage




Long Brass Heritage



SILVER SERIES

BRONZE SERIES

Commercial ribbed doors are available with or without insulation.



STYLE AND FINISH

- 1 $\frac{3}{8}$ " thick steel backed polystyrene insulation is behind an exterior steel skin
- Added energy efficiency
- Commercial-duty rollers
- Heavy-duty commercial track, hardware and springs




STYLE AND FINISH


- Durable and economical steel construction
- Commercial-duty rollers
- Heavy-duty commercial track, hardware and springs



PANEL STYLES



Holmes 224S, 225S Ribbed Panel



Holmes 224, 225 Ribbed Panel

COLOR OPTIONS



White



Brown



Model 270H

GOLD SERIES

- Trucking Terminals
- Post Frame Buildings
- Light Industrial Warehousing
- Job Site Trailers
- Farm Machinery Storage Sheds
- Available in sizes 2' wide x 2' high through 18' wide x 18' high



Model 260H

BRONZE SERIES

- Yard Barns
- Mini-Warehouses
- Storage Sheds
- Boat Houses
- Other Light-Duty Applications
- Available in sizes 2' wide x 2' high through 12' wide x 14' high

SILICONIZED POLYESTER PAINT* 19 Finishes complement any building

Glossy White	White	Silhouette Gray	Buckskin	Desert Tan
Continental Brown	Bronze	Cedar Red	Valentine Red	Tangerine
Sunset Orange	Marine Green	Teal	Dark Teal	Fern Green
Evergreen	Forest Green	Royal Blue	Polar Blue	

* Due to the printing process, colors may vary

CARRIAGE HOUSE GARAGE DOORS

SETTLERS® COLLECTION

MODEL	DOOR/PANEL DESIGN	CONSTRUCTION	STEEL GAUGE	INSULATION TYPE	R-VALUE*	AVAILABLE COLORS	SECTION WARRANTY
SX__	Carriage House "_" Represents Design Number	Four-Layer	27/27	2" Thick Polystyrene	9.0	White, Almond, Desert Tan, Sandtone (Overlay is White)	Limited Lifetime
SF__	Carriage House "_" Represents Design Number	Four-Layer	27/27	1¾" Thick Polystyrene	6.5	White, Almond, Desert Tan, Sandtone (Overlay is White)	Limited Lifetime

ARTISTRY® COLLECTION

MODEL	DOOR/PANEL DESIGN	CONSTRUCTION	STEEL GAUGE	INSULATION TYPE	R-VALUE*	AVAILABLE COLORS	SECTION WARRANTY
AR2SU	Short Panel	Three-Layer	27/27	2" Thick Polyurethane	17.2	White, Almond, Desert Tan, Sandtone, Ultra-Grain™ Dark or Medium Finish	Limited Lifetime
AR2LU	Long Panel	Three-Layer	27/27	2" Thick Polyurethane	17.2	White, Almond, Desert Tan, Sandtone, Ultra-Grain™ Dark or Medium Finish	Limited Lifetime
AR1SU	Short Panel	Three-Layer	27/27	1¾" Thick Polyurethane	12.9	White, Almond, Desert Tan, Sandtone, Ultra-Grain™ Dark or Medium Finish	Limited Lifetime
AR1LU	Long Panel	Three-Layer	27/27	1¾" Thick Polyurethane	12.9	White, Almond, Desert Tan, Sandtone, Ultra-Grain™ Dark or Medium Finish	Limited Lifetime
AR2SP	Short Panel	Three-Layer	27/27	2" Thick Polystyrene	9.0	White, Almond, Desert Tan, Sandtone, Ultra-Grain™ Dark or Medium Finish	Limited Lifetime
AR2LP	Long Panel	Three-Layer	27/27	2" Thick Polystyrene	9.0	White, Almond, Desert Tan, Sandtone, Ultra-Grain™ Dark or Medium Finish	Limited Lifetime
AR1SP	Short Panel	Three-Layer	27/27	1¾" Thick Polystyrene	6.5	White, Almond, Desert Tan, Sandtone, Ultra-Grain™ Dark or Medium Finish	Limited Lifetime
AR1LP	Long Panel	Three-Layer	27/27	1¾" Thick Polystyrene	6.5	White, Almond, Desert Tan, Sandtone, Ultra-Grain™ Dark or Medium Finish	Limited Lifetime
AR4SV	Short Panel	Two-Layer	24	1⅝" Thick Polystyrene	6.3	White, Almond, Desert Tan, Sandtone	Limited Lifetime
AR4LV	Long Panel	Two-Layer	24	1⅝" Thick Polystyrene	6.3	White, Almond, Desert Tan, Sandtone	Limited Lifetime
AR5SV	Short Panel	Two-Layer	25	1⅝" Thick Polystyrene	6.3	White, Almond, Desert Tan, Sandtone	15-Year Limited
AR4S	Short Panel	One-Layer	24	N/A	N/A	White, Almond, Desert Tan, Sandtone	Limited Lifetime
AR4L	Long Panel	One-Layer	24	N/A	N/A	White, Almond, Desert Tan, Sandtone	Limited Lifetime
AR5S	Short Panel	One-Layer	25	N/A	N/A	White, Almond, Desert Tan, Sandtone	10-Year Limited

LODGEWOOD® COLLECTION

MODEL	DOOR/PANEL DESIGN	CONSTRUCTION	WOOD TYPE	INSULATION TYPE	R-VALUE*	WOOD DETAILS	SECTION WARRANTY
CH_H	Carriage House "_" Represents Design Number	Two-Layer	Hemlock	N/A	N/A	Edge-Glued Hemlock Panel	1-Year Limited
CC_C	Carriage House "_" Represents Design Number	Two-Layer	Cedar	N/A	N/A	Edge-Glued Cedar Panel	1-Year Limited
CR_R	Carriage House "_" Represents Design Number	Two-Layer	Redwood	N/A	N/A	Edge-Glued Hemlock Panel	1-Year Limited

*Calculated door section R-value is in accordance with DASMA TDS-163

RESIDENTIAL STEEL GARAGE DOORS

GOLD SERIES DOORS

	MODEL	DOOR/PANEL DESIGN	CONSTRUCTION	STEEL GAUGE	INSULATION TYPE	R-VALUE*	AVAILABLE COLORS	SECTION WARRANTY
2" Thick Polyurethane	7200	Elegant Raised Panel (Short Panel)	Three-Layer	27/27	2" Thick Polyurethane	17.2	White, Almond, Desert Tan, Sandtone, Brown, Hunter Green, Gray	Limited Lifetime
	7201	Flush	Three-Layer	27/27	2" Thick Polyurethane	17.2	White, Almond, Desert Tan, Sandtone, Brown, Hunter Green, Gray	Limited Lifetime
	7203	Elegant Ranch Panel (Long Panel)	Three-Layer	27/27	2" Thick Polyurethane	17.2	White, Almond, Desert Tan, Sandtone, Brown, Hunter Green, Gray	Limited Lifetime
1½" Thick Polyurethane	7130	Elegant Raised Panel (Short Panel)	Three-Layer	27/27	1½" Thick Polyurethane	12.9	White, Almond, Desert Tan, Sandtone, Brown, Hunter Green, Gray	Limited Lifetime
	7131	Flush	Three-Layer	27/27	1½" Thick Polyurethane	12.9	White, Almond, Desert Tan, Sandtone, Brown, Hunter Green, Gray	Limited Lifetime
	7133	Elegant Ranch Panel (Long Panel)	Three-Layer	27/27	1½" Thick Polyurethane	12.9	White, Almond, Desert Tan, Sandtone, Brown, Hunter Green, Gray	Limited Lifetime
2" Thick Polystyrene	6200	Elegant Raised Panel (Short Panel)	Three-Layer	27/27	2" Thick Polystyrene	9.0	White, Almond, Desert Tan, Sandtone, Brown, Hunter Green, Gray	Limited Lifetime
	6201	Flush	Three-Layer	27/27	2" Thick Polystyrene	9.0	White, Almond, Desert Tan, Sandtone, Brown, Hunter Green, Gray	Limited Lifetime
	6203	Elegant Ranch Panel (Long Panel)	Three-Layer	27/27	2" Thick Polystyrene	9.0	White, Almond, Desert Tan, Sandtone, Brown, Hunter Green, Gray	Limited Lifetime
1½" Thick Polystyrene	6130	Elegant Raised Panel (Short Panel)	Three-Layer	27/27	1½" Thick Polystyrene	6.5	White, Almond, Desert Tan, Sandtone, Brown, Hunter Green, Gray	Limited Lifetime
	6131	Flush	Three-Layer	27/27	1½" Thick Polystyrene	6.5	White, Almond, Desert Tan, Sandtone, Brown, Hunter Green, Gray	Limited Lifetime
	6133	Elegant Ranch Panel (Long Panel)	Three-Layer	27/27	1½" Thick Polystyrene	6.5	White, Almond, Desert Tan, Sandtone, Brown, Hunter Green, Gray	Limited Lifetime

SILVER SERIES DOORS

	MODEL	DOOR/PANEL DESIGN	CONSTRUCTION	STEEL GAUGE	INSULATION TYPE	R-VALUE*	AVAILABLE COLORS	SECTION WARRANTY
1½" Insulation	5500	Traditional Raised Panel (Short Panel)	Two-Layer	25	1½" Thick Polystyrene	6.3	White, Almond, Desert Tan, Sandtone, Brown	25-Year Limited
	5503	Traditional Ranch Panel (Long Panel)	Two-Layer	25	1½" Thick Polystyrene	6.3	White, Almond, Desert Tan, Sandtone, Brown	25-Year Limited
¾" Insulation	5200	Traditional Raised Panel (Short Panel)	Two-Layer	25	¾" Thick Polystyrene	4.4	White, Almond, Desert Tan, Sandtone, Brown	25-Year Limited
	5203	Traditional Ranch Panel (Long Panel)	Two-Layer	25	¾" Thick Polystyrene	4.4	White, Almond, Desert Tan, Sandtone, Brown	25-Year Limited

BRONZE SERIES DOORS

	MODEL	DOOR/PANEL DESIGN	CONSTRUCTION	STEEL GAUGE	INSULATION TYPE	R-VALUE*	AVAILABLE COLORS	SECTION WARRANTY
Non-Insulated	4200	Traditional Raised Panel (Short Panel)	One-Layer	25	N/A	N/A	White, Almond, Desert Tan, Sandtone, Brown	15-Year Limited
	4203	Traditional Ranch Panel (Long Panel)	One-Layer	25	N/A	N/A	White, Almond, Desert Tan, Sandtone, Brown	15-Year Limited

GOLD SERIES COMMERCIAL SECTIONAL DOORS								
MODEL	DOOR/PANEL DESIGN	CONSTRUCTION	STEEL GAUGE	INSULATION TYPE	R-VALUE*	AVAILABLE COLORS	SECTION WARRANTY	
2" Polystyrene	250G	Elegant Raised Panel (Short Panel)	Three-Layer	27/27	2" Thick Polystyrene	9.0	White, Almond, Sandtone, Brown	10-Year Limited
	240	Light Ribbed Flush	Three-Layer	27/27	2" Thick Polystyrene	9.0	White, Brown	10-Year Limited
1 3/4" Polystyrene	230G	Elegant Raised Panel (Short Panel)	Three-Layer	27/27	1 3/4" Thick Polystyrene	6.5	White, Almond, Sandtone, Brown, Hunter Green, Gray	10-Year Limited
	210	Light Ribbed Flush	Three-Layer	27/27	1 3/4" Thick Polystyrene	6.5	White, Brown	10-Year Limited

SILVER SERIES COMMERCIAL SECTIONAL DOORS								
MODEL	DOOR/PANEL DESIGN	CONSTRUCTION	STEEL GAUGE	INSULATION TYPE	R-VALUE*	AVAILABLE COLORS	SECTION WARRANTY	
1 3/4" Insulation	224S	Deep Ribbed Design	Two-Layer	24	1 3/4" Thick Polystyrene	6.6	White, Brown	5-Year Limited
	225S	Deep Ribbed Design	Two-Layer	25	1 3/4" Thick Polystyrene	6.6	White, Brown	5-Year Limited

BRONZE SERIES COMMERCIAL SECTIONAL DOORS								
MODEL	DOOR/PANEL DESIGN	CONSTRUCTION	STEEL GAUGE	INSULATION TYPE	R-VALUE*	AVAILABLE COLORS	SECTION WARRANTY	
Non-Insulated	224	Deep Ribbed Design	One-Layer	24	N/A	N/A	White, Brown	5-Year Limited
	225	Deep Ribbed Design	One-Layer	25	N/A	N/A	White, Brown	5-Year Limited

GOLD SERIES HEAVY-DUTY ROLL-UP DOOR							
MODEL	DOOR/PANEL DESIGN	CONSTRUCTION	STEEL GAUGE	AVAILABLE COLORS			
270H	Ribbed Sheet	One-Layer	26	Glossy White, White, Silhouette Gray, Buckskin, Desert Tan, Continental Brown, Bronze, Cedar Red, Valentine Red, Tangerine, Sunset Orange, Marine Green, Teal, Dark Teal, Fern Green, Evergreen, Forest Green, Royal Blue, Polar Blue			

BRONZE SERIES LIGHT-DUTY ROLL-UP DOOR (SELF STORAGE)							
MODEL	DOOR/PANEL DESIGN	CONSTRUCTION	STEEL GAUGE	AVAILABLE COLORS			
260H	Ribbed Sheet	One-Layer	26	Glossy White, White, Silhouette Gray, Buckskin, Desert Tan, Continental Brown, Bronze, Cedar Red, Valentine Red, Tangerine, Sunset Orange, Marine Green, Teal, Dark Teal, Fern Green, Evergreen, Forest Green, Royal Blue, Polar Blue			

*Calculated door section R-value is in accordance with DASMA TDS-163