

STEEL SERIES



PRICING AND INFORMATION

Contents:

Product Information	CC2
Choose Your Door	CC3
Model	
Models 7201, 7202, 7205, 7208, 7209 (18.4 r-value)	
Models 7131, 7132, 7138 (12.9 r-value)	
Models 6201, 6202, 6205, 6208, 6209 (9.0 r-value)	
Models 6131, 6132, 6138 (6.5 r-value)	
Windows	CC4
Contemporary Windows	CC5
Window Orientation Options	CC6-CC7
Warranty Information	

STEEL SERIES

PRODUCT INFORMATION

PANEL OPTIONS


Models 7202, 7201, 7208, 7132, 7131, 7138, 6202, 6201, 6208, 6132, 6131 and 6138.

Modern Grooved Panel

Modern Flush Panel

Models 7205, 7209, 6205 and 6209.

CONTEMPORARY WINDOW OPTIONS



bort Plain Window down right side Long Plain Windows in all panel locations

Contemporary window configurations are available in many design options, including windows in each section and down one side, short and long windows or windows in all sections. For doors with multiple window sections, the window locations must be the same in every section.

Door models offering these configurations utilize 24" and 21" section heights

Note: Contemporary window configurations are described from inside the garage looking out. See pages 18–19 for window configuration availability.

WINDOWS AVAILABLE (SEE COMPLETE LIST ON PAGES CC16-CC17)





Designer Inserts



Designer Classics – Glass



Contemporary/Architectural Series

WARRANTIES (SEE COMPLETE DETAILS ON PAGE CC23)



ADDITIONAL ITEMS (SEE PAGES CC20-CC22)

- Low headroom and springing options.
- Vinyl perimeter seals (stop molding).
- Rear track hanging kit.

Model 7209 Modern Grooved Panel shown in Mocha Brown with Plain Short Windows down left side (from inside garage looking out)

DESCRIPTION

Contemporary Collection Steel Series garage doors complement contemporary and mid-century modern home styles. Doors are available with or without windows and with or without grooves.



- Three-layer steel construction for maximum durability, energy efficiency and quiet operation.
- 2" Intellicore[®] polyurethane insulation and 2" or 1-3/8" polystyrene insulation are available in R-values ranging from 6.5 to 18.4*.

THREE-LAYER CONSTRUCTION

ulation

Steel

ane or Polystyrene Ins

٥

CORE

Steel

Steel

- Ultra-Grain[®] Cypress Finish available on select three-layer models.
- Tongue-and-groove section joints help seal out wind, rain and snow.
- Replaceable bottom weatherseal in a rust-proof aluminum retainer helps prevent elements from entering garage.
- Patented Safe-T-Bracket[®] helps prevent serious injury that could occur if the bottom bracket were removed with the garage door closed and under tension.
- Nylon rollers are smooth and quiet.
 *Calculated door section R-value is in accordance with DASMA TDS-163.

PRICE INCLUDES

• Inside slide lock.

DUCT INFORMAT

- All hardware, 12" radius track and springs.
- Extension springs with a safety containment cable are standard on all single car doors (up to 10' wide and up to 8' high). To upgrade to EZ-SET[®] torsion springs add \$62.89; for standard torsion springs add \$34.11.
- EZ-SET[®] torsion springs are standard on all double car doors (over 10' wide and up to 8' high). For standard torsion springs deduct \$12.79.
- Torsion springs are standard on all extended height doors (over 8' high).
 Other springs are not available for extended height doors.
- Bottom weatherseal in aluminum retainer.
- Operator reinforcement bracket.
- Does not include rear track hanger, low headroom kit, vinyl perimeter seals (stop molding).

PANEL COLOR OPTIONS





STEEL SERIES

CHOOSE YOUR DOOR

		itere itere	Core to the second		
DOOR DESIGNS Door design examples shown at 9' wide × 8' high		2"	3-LA	2"	1-3/8"
Available window options listed below model number (See back cover for examples of window options)		Polyurethane	Polyurethane	Polystyrene	Polystyrene
	TEXTURE	18.4 R-value	12.9 R-value	9.0 R-value	6.5 R-value
MODERN FLUSH			Door constructed using 24"	, 21" and 18" section heights	
		7202	7132	6202	6132
		Contemporary	Contemporary	Contemporary	Contemporary
Solid Window Sections	Woodgrain	Contemporary	contemporary	contemporary	contemporary
MODERN FLUSH			Door constructed using 21	" and 18" section heights	
		7201	7131	6201	6131
		Contemporary	Contemporary	Contemporary	
Solid Window Sections	Woodgrain	Decorative	Decorative	Decorative	Decorative
MODERN FLUSH			Door constructed using 24	" and 21" section heights	
		7208	7138	6208	6138
		Contemporary	Contemporary	Contemporary	Contemporary
Solid Contemporary Windows	Stucco*	Contemporary	Contemporary	Contemporary	Contemporary
MODERN GROOVED			Door constructed using 24",	21" and 18" section heights	
		7205		6205	
Solid Window Sections	Stucco*	Contemporary		Contemporary	
MODERN GROOVED			Door constructed using 24	" and 21" section heights	
		7000		6000	
		7209		6209	
Solid Contemporary Windows	Stucco*	Contemporary		Contemporary	
	010000				


COLOR AVAILABILITY	Standard White	Glacier White	Almond	Desert Tan	Sandtone	Bronze	Chocolate	^{Mocha} Brown	Black	Hunter Green	Gray	Ultra-Grain [®] Cypress Medium	Ultra-Grain [®] Cypress Cherry	Ultra-Grain [®] Cypress Walnut
7202, 7208			•											
7201		•	•	•			•			•				
7205,7209														
7132, 7138														
7131														
6202, 6208														
6201														й -
6205, 6209														
6132														
6131										•				
6138														

Calculated door section R-value is in accordance with DASMA TDS-163.

*Exterior steel surface on an Ultra-Grain® painted door has a woodgrain texture on Contemporary Collection Steel Series doors.



Add a personal touch with designer window lites. Available on Contemporary Collection Steel Series.







STEEL SERIES

WNDOWS

DESIGNER CLASSICS







Tuscany Long'



100

Roselle® Long





Orleans Long*

CONTEMPORARY/ARCHITECTURAL SERIES

For a larger viewing area, choose our Contemporary/Architectural Series options.





Plain Long

Carlisle[®] Long

*Available non-insulated only.




ARCH1 Plain



ARCH2 Plain

eterterte	attratests.	interiterte	atraterty.
피피피	щщщ	HHH	HHH
in the last	ter ter ter	ter ter ter	and bed bed
	110111111	1111111111	211111111
the second second	and the second s	and the second se	-

Trenton [®] Short







Clayton[™] Short

*Available non-insulated only.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit holmesgaragedoor.com/acrylic for complete details.

Short with	Rectangul	lar Grill	es	



Long with Rectangular Grilles

-	THE OWNER	

ARCH1 with Vertical Grilles




ARCH2 with Vertical Grilles

100 10	4.84	-	н	841	- 24	н	н	H	14	8÷
het he	1 14	H	H	he i	- 10	н	H	tri.	H	łż

Trenton[®] Long



Kristin[®] Long





Short with Square Grilles



Long with Square Grilles



ARCH1 with Grilles



ARCH2 with Grilles



Wrought Iron Short*




Wrought Iron Long'



Wrought Iron ARCH*

CONTEMPORARY WINDOW ORIENTATION

When ordering contemporary window configurations please reference the examples provided to describe your desired window positions. Note: Window configurations are described from inside the garage looking out.



Example: Windows down right side (from inside garage looking out)

View from Inside Garage



View from Outside Garage

POPULAR CONTEMPORARY WINDOW CONFIGURATIONS

The windows shown below apply to Models 7208, 7209, 7138, 6308, 6309 and 6138. These doors utilize 24" and 21" section heights, allowing for the window options shown.


Contemporary window configurations are available in many design options, including windows in each section and down one side, short and long windows or windows in all sections. For doors with multiple window sections, the window locations must be the same in every section.

The images below are illustrated from outside the garage.




STEEL SERIES

CONTEMPORARY WINDOWS




SOL-SOL-SOL-GL Sections: 1, 2, 3, 4




GL-SOL-SOL-SOL Sections: 1, 2, 3, 4




GL-SOL-SOL-GL Sections: 3, 4




GL-GL-GL-GL Sections: 1, 2, 3, 4



SOL-SOL-SOL-SOL-SOL-SOL-GL-GL Sections: 1, 2, 3, 4



GL-GL-SOL-SOL-SOL-SOL-SOL-SOL Sections: 1, 2, 3, 4



GL-GL-SOL-SOL-SOL-SOL-GL-GL Sections: 3, 4

GL-GL-GL-GL-GL-GL-GL Sections: 1, 2, 3, 4

For doors with glazing (windows) in the sections, all glass will be tempered.

Glazing options include:









Frosted

Narrow Reed

Other glass types and custom glass are available.

LONG WINDOW CONFIGURATIONS




SOL-GL Sections: 1, 2, 3, 4



GL-SOL Sections: 1, 2, 3, 4




GL-GL Sections: 3, 4



Sections: 1, 2, 3, 4

SOL-SOL-GL






GL-SOL-SOL-SOL Sections: 1, 2, 3, 4







GL-GL-GL-GL Sections: 1, 2, 3, 4

Holmes[•] Garage Door Company Contemporary Collection Steel Series Limited Warranty

We will repair or replace (at our option) any garage door section or hardware that is defective in material or workmanship pursuant to the terms of this limited warranty. This warranty extends to and benefits only the original purchaser of the garage door. This warranty does not apply to commercial, industrial or any other non-residential installation.

We will provide, at no cost to you, sections/section components, hardware, springs/spring components or windows to repair or replace defective sections, hardware, springs/spring components or windows. All labor costs associated with the removal and reinstallation of any repaired section/section components, hardware or spring/spring components, and the installation of replacement sections/section components, hardware, spring/spring components, or windows will be your responsibility. We reserve the right to inspect and/or verify any claimed defect. The applicable limited warranty periods are as follows:

Model Number	Paint System	Hardware
7202, 7201, 7208, 7205, 7209, 7132, 7131, 7138, 6202, 6201, 6208, 6205, 6209, 6132, 6131, 6138	Limited Lifetime	3 years

Terms and limitations of the limited warranty are further detailed below:

Paint System Limited Warranty

Holmes Garage Door Company warrants the sections of the Models listed above against rust through due to the paint finish cracking, checking or peeling (losing adhesion) as follows: (a) in residential single family installations for the years designated above from the date of delivery to the original purchaser; (b) in all other residential installations (including installations on facilities owned in common by condominium associations or similar organizations), for ten (10) years from date of delivery to the original purchaser, pursuant to the terms of this limited warranty.

Hardware Components Limited Warranty

We will repair or replace (at our option) any garage door hardware component that is defective in material or workmanship for the term defined in the chart above, pursuant to the terms of this limited warranty.

Decorative Windows - 10 Year Limited Warranty

Designer windows, snap-in inserts, clear acrylic windows and window frames are warranted for ten (10) years from date of purchase against manufacturing defects and excessive discoloration. This warranty does not cover any damage or loss caused by harmful chemical action, abrasive cleansers, or breakdowns due to climate extremes or environmental conditions. Insulated glass is warranted for a period of ten (10) years for material obstruction of vision resulting from film formation or dust or moisture collection between the interior surface of the insulating glass window, pursuant to the terms of this limited warranty. No warranty is available for single pane glass.

WE WILL NOT PAY FOR ANY DAMAGES, INCLUDING INCIDENTAL OR CONSEQUENTIAL DAMAGES, CAUSED BY OR RESULTING FROM DEFECTIVE GARAGE DOOR SECTIONS OR HARDWARE. Some states do not allow the exclusion of incidental or consequential damages, so the above limitation may not apply to you.

Our warranty shall not extend to or cover deterioration due to damage or rust to the garage door caused by fire, an act of God, other accident or casualty, vandalism, radiation, harmful fumes or foreign substances in the atmosphere, or occurring as a result of any physical damage or the failure of paint that is not applied per the manufacturer's specifications after the garage door left our factory, or failure to follow all installation and maintenance instructions. Nor shall our warranty extend to or cover any damages due to normal wear and tear, or claims with respect to any products that in any way or degree have been altered, processed, misused or improperly handled or installed.

If your garage door does not conform to this warranty, notify us in writing at the following address promptly after discovery of the defect. Clopay Building Products, Attn: Consumer Services Dept., 1400 West Market Street, Troy, Ohio 45373. Additional copies of our installation and maintenance instructions may be obtained by calling 1-800-557-0488.

WE MAKE NO OTHER WARRANTIES, REPRESENTATIONS, OR COVENANTS, EXPRESS OR IMPLIED, WITH RESPECT TO THIS PRODUCT, INCLUDING BUT NOT LIMITED TO WARRANTIES, REPRESENTATIONS OR COVENANTS AS TO WORKMANSHIP, DESIGN, CAPACITY, QUALITY, CONDITION, MERCHANTABILITY, OR FITNESS FOR ANY PURPOSE OF THE

PRODUCT, EXCEPT FOR ANY "IMPLIED WARRANTY" AS THAT TERM IS DEFINED IN THE MAGNUSON-MOSS WARRANTYFEDERAL TRADE COMMISSION IMPROVEMENT ACT, SUCH IMPLIED WARRANTIES TO BE LIMITED IN DURATION TO A PERIOD OF ONE YEAR FROM THE DATE OF PURCHASE.



WARRANT

